



Range & Pasture

PRODUCT GUIDE





Range & Pasture Product Guide



Product Name OTHER USAGE	Active Ingredient	Competitive Product	Product Highlights	Case Pack Size	Pallet Quantity
2,4-D Amine 	2,4-D [3.8 lb/gal ae]	Various DMA 2,4-D Brands	KEY USES: Broadleaf weed and brush control, no residual activity, common tank mix herbicide and low volatile formulation. KEY RESTRICTIONS: <i>Grazing:</i> none; <i>Haying:</i> 14 days; <i>Rainfast:</i> 6 hours.	6 x 1 qt 4 x 1 gal 2 x 2.5 gal 30 gal 270 gal	480 qt 192 gal 180 gal 150 gal 270 gal
2,4-D LV 6 	2,4-D [5.4 lb/gal ae]	Various Ester 2,4-D Brands	KEY USES: Broadleaf weed and brush control in pastures, no residual activity and common tank mix herbicide. KEY RESTRICTIONS: <i>Grazing:</i> none; <i>Haying:</i> 7 days; <i>Rainfast:</i> 6 hours.	2 x 2.5 gal 30 gal 270 gal	180 gal 150 gal 270 gal
Boulder 6.3 	Triclopyr [6.3 lb/gal ae]	Garlon® XRT	KEY USES: For control of woody plants in pastures, rangeland and forests. KEY RESTRICTIONS: <i>Grazing:</i> none, except for lactating dairy animals (14 days); <i>Haying:</i> 7 days; <i>Rainfast:</i> 6 hours.	2 x 2.5 gal 30 gal 270 gal	180 gal 150 gal 270 gal
ClearGraze® 	Fluroxypyr [1 lb/gal ae] Triclopyr [3 lb/gal ae]	PastureGard® HL	KEY USES: No residual activity and excellent on hard to control weeds and brush. KEY RESTRICTIONS: <i>Grazing:</i> none; <i>Haying:</i> 14 days; <i>Rainfast:</i> 6 hours.	4 x 1 gal 2 x 2.5 gal 270 gal	192 gal 180 gal 270 gal
Cody 	Clopyralid [0.38 lb/gal ae] 2,4-D [2 lb/gal ae]	Curtail®	KEY USES: Broadleaf weed control in pastures with residual and very active on legumes. KEY RESTRICTIONS: <i>Grazing:</i> none, except for lactating dairy animals (14 days); <i>Haying:</i> 30 days; <i>Rainfast:</i> 6 hours.	6 x 1 qt 2 x 2.5 gal 30 gal 265 gal	480 qt 180 gal 150 gal 265 gal
Dicamba & 2,4-D 	Dicamba [1 lb/gal ae] 2,4-D [2.87 lb/gal ae]	Weedmaster®	KEY USES: Used for control of annual and perennial weeds in areas where cost or soil residual is a concern. KEY RESTRICTIONS: <i>Grazing:</i> none, except for lactating dairy animals (7 days); <i>Haying:</i> 7 days; <i>Rainfast:</i> 4 hours.	2 x 2.5 gal 30 gal 270 gal	180 gal 150 gal 270 gal
Dryphosate 75 SG 	Glyphosate [75%]	Various Glyphosate products	KEY USES: A dry broad-spectrum herbicide for control of grass and broadleaf weed species. KEY RESTRICTIONS: <i>Grazing:</i> 8 weeks; <i>Haying:</i> 8 weeks; <i>Rainfast:</i> 4-6 hours.	2 x 11 lb 1 x 33 lb	924 lb 1188 lb
Ecomazapyr 2 SL 	Imazapyr [2 lb/gal ae]	Arsenal® Habitat® Polaris®	KEY USES: For control of grass, broadleaf weeds, and salt cedar in and around aquatic sites on pasture and rangeland. KEY RESTRICTIONS: <i>Grazing:</i> none; <i>Haying:</i> 7 days; <i>Rainfast:</i> 1 hour.	6 x 1 qt 2 x 2.5 gal 30 gal 270 gal	480 qt 180 gal 150 gal 270 gal
Everett 	2,4-D [2 lb/gal ae] Triclopyr [1 lb/gal ae]	Crossbow®	KEY USES: Used for control of annual and perennial broadleaf weeds as well for many woody brush species. KEY RESTRICTIONS: <i>Grazing:</i> none, except for lactating dairy animals (next growing season); <i>Haying:</i> none, unless feeding to lactating dairy animals (14 days); <i>Rainfast:</i> 6 hours.	4 x 1 gal 2 x 2.5 gal	192 gal 180 gal
Flagstaff® 	Fluroxypyr [2.8 lb/gal ae]	Starane® Ultra StareDown™ Vista® XRT	KEY USES: Selectively controls annual and perennial broadleaf weeds including sulfonylurea resistant kochia, and many woody plants and vines. KEY RESTRICTIONS: <i>Grazing:</i> none; <i>Haying:</i> 7 days; <i>Rainfast:</i> 4 hours.	2 x 2.5 gal 270 gal	180 gal 270 gal
Glyphosate 4 Plus 	Glyphosate [4 lb/gal IPA salt, 3 lb/gal ae]	Various Glyphosate products	KEY USES: A broad-spectrum herbicide for control of broadleaf weeds and grass. KEY RESTRICTIONS: <i>Grazing:</i> none; <i>Haying:</i> 7 days; <i>Rainfast:</i> 4 hours.	2 x 2.5 gal 30 gal 265 gal	180 gal 150 gal 270 gal
Glyphosate 5.4 	Glyphosate [5.4 lb/gal IPA salt, 4 lb/gal ae]	Various Glyphosate products	KEY USES: A high load broad-spectrum herbicide for control of broadleaf weeds and grass. KEY RESTRICTIONS: <i>Grazing:</i> none; <i>Haying:</i> 7 days; <i>Rainfast:</i> 4 hours.	6 x 1 qt 2 x 2.5 gal 30 gal 265 gal	480 qt 180 gal 150 gal 265 gal

OTHER USAGE KEY: Aquatic Range & Pasture Bare Ground Forestry Roadside / Right of Way



Range & Pasture Product Guide



Product Name OTHER USAGE	Active Ingredient	Competitive Product	Product Highlights	Case Pack Size	Pallet Quantity
Gunslinger® AMP 	Aminopyralid [0.41 lb/gal ae] 2,4-D [3.33 lb/gal ae]	Other HL Aminopyralid + 2,4-D products	KEY USES: Outstanding annual, biennial and perennial broadleaf weed control with long term residual. Excellent on thistles, knapweeds, and nettles. KEY RESTRICTIONS: <i>Grazing:</i> none; <i>Haying:</i> 7 days; <i>Rainfast:</i> 2 hours.	2 x 2 gal 30 gal 250 gal	192 gal 150 gal 250 gal
Gunslinger® P+D 	Picloram [0.54 lb/gal ae] 2,4-D [2 lb/gal ae]	Grazon® P+D	KEY USES: Excellent control on annual and perennial broadleaf weeds and many brush species with long term residual. KEY RESTRICTIONS: <i>Grazing:</i> none, except for lactating dairy animals (7 Days); <i>Haying:</i> 30 days; <i>Rainfast:</i> 2-4 hours.	2 x 2.5 gal 30 gal 270 gal	180 gal 150 gal 270 gal
Imazapyr 4 SL 	Imazapyr [4 lb/gal ae]	Arsenal® AC Polaris® AC	KEY USES: A high load formulation offering control of grass, broadleaf weeds, saltcedar and giant cane. KEY RESTRICTIONS: <i>Grazing:</i> none; <i>Haying:</i> 7 days; <i>Rainfast:</i> 1 hour.	6 x 1 qt 4 x 1 gal 2 x 2.5 gal 30 gal 270 gal	480 qt 192 gal 180 gal 150 gal 270 gal
Laramie 25DF 	Rimsulfuron [25%]	Matrix® SC	KEY USES: Used for annual grass and broadleaf weed control including cheatgrass and medusahead in western rangeland. KEY RESTRICTIONS: <i>Grazing:</i> 30 days; <i>Haying:</i> 30 days; <i>Rainfast:</i> 4 hours.	8 x 8 oz 8 x 16 oz	6144 oz 7680 oz
MSM 60 	Metsulfuron-methyl [60%]	Ally® Escort® Patriot™ Plotter™	KEY USES: Very common tank mix partner and offers excellent control on sericea lespedeza and others. Has residual activity without any manure or compost concerns. KEY RESTRICTIONS: <i>Grazing:</i> none; <i>Haying:</i> none; <i>Rainfast:</i> 1 hours.	8 x 8 oz 8 x 16 oz 2 x 12 lb	5120 oz 8192 oz 576 lb
Panoramic 2SL 	Imazapic [2 lb/gal free acid]	Plateau®	KEY USES: Offers pre-and post-control on many annual grass species as well as control on broadleaf weeds and Cheat grass. KEY RESTRICTIONS: <i>Grazing:</i> none; <i>Haying:</i> 7 days; <i>Rainfast:</i> 1 hours.	4 x 1 gal 2 x 2.5 gal 30 gal	192 gal 180 gal 150 gal
Prescott 	Triclopyr [2.25 lb/gal ae] Clopyralid [0.75 lb/gal ae]	Redeem®	KEY USES: Broad-spectrum post emergent control of many annual and perennial broadleaf weed and brush species on rangeland. KEY RESTRICTIONS: <i>Grazing:</i> none, except for lactating dairy animals (next growing season); <i>Haying:</i> 14 days, unless feeding to lactating dairy animals (next growing season); <i>Rainfast:</i> 6 hours.	4 x 1 gal 2 x 2.5 gal	192 gal 180 gal
Sonora™ 	Clopyralid [3 lb/gal ae]	Clean Slate® Reclaim® Spur® Transline®	KEY USES: For control of woody plants and broadleaf weed in pastures offers extended residual and excellent control of legume species. KEY RESTRICTIONS: <i>Grazing:</i> none; <i>Haying:</i> none; <i>Rainfast:</i> 2 hours.	6 x 1 qt 4 x 1 gal 2 x 2.5 gal 265 gal	480 qt 192 gal 180 gal 265 gal
Tebuthiuron 20P 	Tebuthiuron [20%]	Spike® 20P	KEY USES: Offers long term control of woody plants on rangeland. Excellent on Sage brush, Cresote brush, Oaks, White brush Yaupon and many more. KEY RESTRICTIONS: <i>Grazing:</i> none; <i>Haying:</i> none; <i>Rainfast:</i> none.	6 x 4 lb 1 x 25 lb	864 lb 1000 lb
Triclopyr 3 	Triclopyr [3 lb/gal ae]	Garlon® 3A Renovate® Tahoe® 3A	KEY USES: Woody plant and broadleaf weed control with no residual and low volatile amine formulation. KEY RESTRICTIONS: <i>Grazing:</i> none, except for lactating dairy animals (next growing season); <i>Haying:</i> 14 days, unless feeding to lactating dairy animals (next growing season); <i>Rainfast:</i> 6 hours.	2 x 2.5 gal 30 gal 270 gal	180 gal 150 gal 270 gal

OTHER USAGE KEY: Aquatic Range & Pasture Bare Ground Forestry Roadside / Right of Way



Range & Pasture Product Guide



Product Name OTHER USAGE	Active Ingredient	Competitive Product	Product Highlights	Case Pack Size	Pallet Quantity
Triclopyr 4 	Triclopyr [4 lb/gal ae]	Garlon® 4 Remedy®	KEY USES: Woody plant and broadleaf weed control with no residual in ester formulation. KEY RESTRICTIONS: <i>Grazing:</i> none, except for lactating dairy animals (next growing season); <i>Haying:</i> 14 days, unless feeding to lactating dairy animals (next growing season); <i>Rainfast:</i> 6 hours.	6 x 1 qt 4 x 1 gal 2 x 2.5 gal 30 gal 270 gal	480 qt 192 gal 180 gal 150 gal 270 gal
Triclopyr RTU 	Triclopyr [0.75 lb/gal ae]	Pathfinder® II	KEY USES: Ready-to-use, no mixing required excellent for individual plant treatment applications on vines, trees, and various mixed brush. Commonly used for cut stump applications on hardwood brush species. KEY RESTRICTIONS: <i>Grazing:</i> none; <i>Haying:</i> none; <i>Rainfast:</i> 6 hours.	2 x 2.5 gal 265 gal	180 gal 265 gal
Triumph® 22K 	Picloram [2 lb/gal ae]	Tordon® 22K Trooper® 22K	KEY USES: For control of annual and perennial broadleaf weeds, woody plants and vines. Common treatment on prickly pear with long term soil residual. KEY RESTRICTIONS: <i>Grazing:</i> none, except for lactating dairy animals (14 days); <i>Haying:</i> none, unless applying more than 1 qt/A (14 days); <i>Rainfast:</i> 2 hours.	4 x 1 gal 2 x 2.5 gal 270 gal	192 gal 180 gal 270 gal
Triumph® RTU 	Picloram [0.27 lb/gal ae] 2,4-D [1 lb/gal ae]	Tordon® RTU	KEY USES: Ready-to-use, no mixing required, effective control of unwanted hard to kill broadleaf weeds and woody plants. Can be used as cut stump treatment on resprouting juniper species. KEY RESTRICTIONS: <i>Grazing:</i> none; <i>Haying:</i> none; <i>Rainfast:</i> 4 hours.	6 x 1 qt	480 qt
Triumph® XTR 	Picloram [0.67 lb/gal ae] Fluroxypyr [0.67 lb/gal ae]	Surmount®	KEY USES: A premier herbicide for control of cactus as well as a variety of woody and broadleaf weed such as blackberry, sericea lespedeza, field bindweed and ALS and glyphosate resistant weeds. KEY RESTRICTIONS: <i>Grazing:</i> none, except for lactating dairy animals (14 days); <i>Haying:</i> 7 days; <i>Rainfast:</i> 4 hours.	2 x 2.5 gal 270 gal	180 gal 270 gal
Whetstone™ 	Aminopyralid [2 lb/gal ae]	Other Aminopyralid-2lb/ gal Products	KEY USES: Provides long term control of annual, perennial and biennial broadleaf weeds while being safe on perennial grass. Commonly used in tank mixes. KEY RESTRICTIONS: <i>Grazing:</i> none; <i>Haying:</i> none; <i>Rainfast:</i> 2-4 hours.	6 x 1 qt 2 x 2.5 gal	480 qt 180 gal

OTHER USAGE KEY: Aquatic Range & Pasture Bare Ground Forestry Roadside/Right of Way

CLEARGRAZE, FLAGSTAFF, GUNSLINGER, TRIUMPH and SONORA are trademarks of ADAMA Group Company. Ally and Matrix SB are registered trademarks of E.I. du Pont de Nemours and Company. Escort is a registered product of Bayer CropScience. Crossbow, Curtail, Garlon, PastureGard, Reclaim, Redeem, Remedy, Spike, Starane, StareDown, Surmount, Transline, Tordon and Vista are registered trademarks of Corteva Agriscience. Arsenal, Banvel, Chopper, Habitat, and Plateau are registered trademarks of BASF Corporation. Diablo, Patriot, Polaris, Tahoe, Trooper and Weedmaster are registered trademarks of NuFarm. Renovate is a registered trademark of SePRO Corporation. Plotter is a registered trademark of Rotam North America. Always read and follow label directions.

Call **888-255-4427** or visit **Alligare.com**
to find your Alligare Regional Specialist.



A MEMBER OF ADAMA
Consumer and Professional Solutions